



What do I need for Peering

This section of the Toolbox describes what a network operator needs before embarking on their peering journey.

Recap

A network operator embarking on their peering journey now knows:

- What their goals as a service provider are
- How the Internet Ecosystem is structured
- What Peering is
- What Transit is
- How Peering helps with operating costs, reducing latency, increasing bandwidth, improving relationships
- What Private Peering is
- What Public Peering is
- What an Internet Exchange Point is

What needs to be done next to start the journey?

Next Steps

The next steps for any aspiring member of the peering community is to lay the ground work so that their infrastructure is operationally prepared to be able to peer with other Network Operators.

The following sections cover the background of the four essential topics:

- [Internet Resources](#)
- [Internet Routing Registry](#)
- [Route Origin Authorisation](#)
- [Peering Database](#)
- [Route Origin Authorisation](#)
- [Peering Database](#)

Route Origin Authorisation

One of the major problems with the Internet Routing Registry is that the information contained therein is historically placed there on trust. While the five RIRs have made big strides to tidy up their instances of the IRR (allowing object creation only by members), the remainder of the IRR still contains a lot of inaccurate, incorrect, and out dated information. And there is no validation or verification of any of the information provided either - any entity can place anything in the RADB, for example, simply by paying the subscription fee.

Background

In the early 2010s a new effort to validate routing information finally started early deployment, and is now seeing widespread deployment, plus full support in the routing operating systems of the major/serious equipment vendors. The goal is to reduce the instances of malicious announcements of address space (aka *route hijacks*) and genuine configuration errors (aka *fat fingers*) which knock out significant parts of the global Internet infrastructure.

The 5 RIRs hold all the delegation information of IP address space (IPv4 and IPv6) since the birth of the Internet. This includes legacy address space distributed by the InterNIC prior to the existence of the RIRs, which was distributed to the RIRs for their management under the [ERX project](#).

Describing the mechanisms behind Route Origin Authorisation and the Resource Public Key Infrastructure (RPKI) is beyond the scope of the Peering Toolbox. Information about the RPKI can be found from many sources, including on the websites of all 5 RIRs.

However, it is now highly recommended for all Network Operators to create Route Origin Authorisations (ROAs) for each prefix/address block they originate into the global routing system (in the same way that we recommended the creation of a route-object in the IRR).

More and more network operators around the globe are checking BGP announcements against the published ROAs - if a BGP announcement does not match the ROA, the BGP announcement is dropped. This is known as Route Origin Validation (ROV).

ROA Creation

Creation of a ROA is done via the respective RIR's member portal - the Network Operator should contact their RIR for more information on how to do this.

Note that the creation of a ROA quite often results in the RIR also creating a corresponding route-object in their instance of the IRR. This really helps network operators to ensure that both ROAs and IRR are up to date and consistent, and the facility should be used if available.

Note very well: only create a ROA for the exact route that is being announced - never create a ROA for an unannounced route or subnet, as that could result in that route or subnet being hijacked.

What about legacy address space?

Holders of legacy (InterNIC assigned) address space are encouraged to create ROAs to assist with ensuring greater integrity of the global routing system.

Some (but not all) RIRs have a mechanism allowing legacy address holders whose IP address space is now managed by the RIR under the ERX project to create and maintain a ROA for a small annual fee.

The Peering Database

References

This content is sourced from many contributors, including:

- [Value of Peering Presentation](#) - Philip Smith
- Network Startup Resource Center
- Input from Mark Tinka, Kurt Erik Lindqvist, etc

[Back to Home page](#)

From:

<https://mail.bgp4all.com/pfs/> - **Philip Smith's Internet Development Site**

Permanent link:

<https://mail.bgp4all.com/pfs/peering-toolbox/how-to-peer?rev=1651810991>

Last update: **2022/05/06 04:23**

